



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/060,622	01/30/2002	William R. Worger	IRI05465	8230

23330 7590 07/19/2005

MOTOROLA, INC.
LAW DEPARTMENT
1303 E. ALGONQUIN ROAD
SCHAUMBURG, IL 60196

EXAMINER

PHAN, TAM T

ART UNIT	PAPER NUMBER
----------	--------------

2144

DATE MAILED: 07/19/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

47

Office Action Summary

Application No.

10/060,622

Applicant(s)

WORGER ET AL.

Examiner

Tam (Jenny) Phan

Art Unit

2144

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 17 December 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-8, 10-18 and 20-22 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-8, 10-18 and 20-22 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 30 January 2002 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This application has been examined. Claims 19 and 23-29 are cancelled. Claims 1, 8, 10, 16, 18, 20-21 are currently amended.
2. Claims 1-8, 10-18, and 20-22 are presented for examination.

Priority

3. No priority claims have been made.
4. The effective filing date for the subject matter defined in the pending claims in this application is 01/30/2002.

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 1-8 and 10-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mitzenmacher et al. (U.S. Patent Number 5,953,503), hereinafter referred to as Mitzenmacher, in view of Hamiti et al. (U.S. Patent Number 6,751,209), hereinafter referred to as Hamiti.
7. Regarding claim 1, Mitzenmacher disclosed a message compression method (Title, Abstract) comprising the steps of: pre-placing a message template [preset dictionary] at a far end communication system of a communication link (Abstract, Figure 1, column 2 lines 20-30, lines 58-65); generating a compressed message related to the template message (column 3 lines 1-11, column 4 lines 47-61), wherein generating

Art Unit: 2144

comprises: providing a service request message identifier [finger print identifier] within the compressed message (column 4 lines 21-46); providing a template on/off flag within the compressed message (column 2 line 66-column 3 line 11, column 3 lines 22-33, lines 43-52); and providing a template index within the compressed message (column 3 lines 22-33, lines 43-52, column 4 lines 21-26, lines 35-46); transmitting by a near end communication system a compressed message related to the message template (column 2 lines 20-30, column 3 lines 22-33); and producing at the far end communication system an uncompressed message (column 2 lines 20-30, column 3 lines 33-52).

8. Mitzenmacher taught the invention substantially as claimed. However, Mitzenmacher did not expressly teach generating the compressed message references the message template at the far end communication system without using the message template to generate the compressed message.

9. Mitzenmacher suggested exploration of art and/or provided a reason to modify the message compression method with additional features such as generating the compressed message references the message template at the far end communication system without using the message template to generate the compressed message (column 2 lines 58-65, column 4 lines 34-46, column 5 lines 11-15).

10. Hamiti disclosed a header compression method comprising step of generating the compressed message references the message template at the far end communication system without using the message template to generate the compressed message (Abstract, column 13 line 58-column 14 line 19, column 15 lines 1-18).

11. It would have been obvious to one of ordinary skill in the art at the time of the invention was made to modify the message compression method of Mitzenmacher with the teachings of Hamiti to include generating the compressed message references the message template at the far end communication system without using the message template to generate the compressed message in order to elide message fields that were already presented in the pre-placed message template (Hamiti, column 1 lines 40-44) since message headers often remain constant over the life of the connection (Hamiti, column 1 lines 40-44, column 3 lines 9-11).

12. Regarding claim 2, Mitzenmacher disclosed a message compression method wherein the step of producing includes the step of combining the message template and the compressed message (column 3 lines 33-52).

13. Regarding claim 3, Mitzenmacher disclosed a message compression method wherein the step of combining includes the step of determining by the far end communication system that the compressed message is a request for a message template (column 2 lines 20-30, column 3 lines 22-33).

14. Regarding claim 4, Mitzenmacher disclosed a message compression method wherein the step of combining further includes the step of obtaining a template index from the compressed message to indicate an identity of a requested message template (column 2 lines 20-30, column 4 lines 35-46).

15. Regarding claim 5, Mitzenmacher disclosed a message compression method wherein the step of combining further includes the step of determining by the far end communication system whether the compressed message indicates whether additional parameters are present (column 3 lines 22-33).

16. Regarding claim 6, Mitzenmacher disclosed a message compression method wherein the step of combining further includes the steps of: if the additional parameters are present: removing each additional parameter from the compressed message; and inserting each additional parameter into the message template (column 2 line 66-column 3 line 11, column 3 lines 22-33, column 43-52).

17. Regarding claim 7, Mitzenmacher disclosed a message compression method wherein there is further included a step of iterating the steps of removing and inserting for each additional parameter (column 2 line 66-column 3 line 11, column 3 lines 22-33, column 43-52).

18. Regarding claim 8, Mitzenmacher disclosed a message compression method wherein the step of transmitting includes the step of generating the compressed message by a template processing function at the near end communication system (column 4 lines 21-46).

19. Regarding claim 10, Mitzenmacher disclosed a message compression method wherein the step of generating further includes the steps of: providing an additional parameters are present flag within the compressed message; and providing additional parameters within the compressed message (column 2 line 66-column 3 line 11, column 3 lines 22-33, column 43-52).

20. Regarding claim 11, Mitzenmacher disclosed a message compression method wherein the step of pre-placing includes the step of transmitting an uncompressed message by the near end communication system (column 3 lines 53-65).

21. Regarding claim 12, Mitzenmacher disclosed a message compression method wherein the step of pre-placing includes the step of storing the uncompressed message

Art Unit: 2144

as a template by a template processing function of the far end communication system (column 2 lines 20-30, lines 58-65, column 4 lines 47-61).

22. Since all the limitations of the claimed invention were disclosed by the combination of Mitzenmacher and Hamiti, claims 1-8 and 10-12 are rejected.

23. Claims 13-22 and 25-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mitzenmacher et al. (U.S. Patent Number 5,953,503), hereinafter referred to as Mitzenmacher, in view of Hamiti et al. (U.S. Patent Number 6,751,209), hereinafter referred to as Hamiti, and further in view of Lee et al. (U.S. Patent Number 6,807,173).

24. Regarding claim 13, Mitzenmacher disclosed a message compression method (Title, Abstract) comprising the steps of: pre-placing a message template [preset dictionary] at a far end communication system of a communication link (Abstract, Figure 1, column 2 lines 20-30, lines 58-65); generating a compressed message related to the template message (column 3 lines 1-11, column 4 lines 47-61), wherein generating comprises: providing a service request message identifier [finger print identifier] within the compressed message (column 4 lines 21-46); providing a template on/off flag within the compressed message (column 2 line 66-column 3 line 11, column 3 lines 22-33, lines 43-52); and providing a template index within the compressed message (column 3 lines 22-33, lines 43-52, column 4 lines 21-26, lines 35-46); transmitting by a near end communication system a compressed message related to the message template (column 2 lines 20-30, column 3 lines 22-33); and producing at the far end communication system an uncompressed message (column 2 lines 20-30, column 3

Art Unit: 2144

lines 33-52). Hamiti disclosed a header compression method comprising step of generating the compressed message references the message template at the far end communication system without using the message template to generate the compressed message (Abstract, column 13 line 58-column 14 line 19, column 15 lines 1-18).

25. The combination of Mitzenmacher and Hamiti taught the invention substantially as claimed. However, the combination of Mitzenmacher and Hamiti did not expressly teach a message compression method wherein the message compression method is provided within a Session Initiation Protocol communication system.

26. Mitzenmacher suggested exploration of art and/or provided a reason to modify the combined message compression method of Mitzenmacher and Hamiti with other distributed communication systems such as the Session Initiation Protocol communication system (column 1 lines 23-26, lines 61-67, column 2 lines 42-49, column 5 lines 12-16).

27. Lee disclosed a message compression method wherein the message compression method is provided within a Session Initiation Protocol (SIP) communication system (Figure 1, column 2 lines 39-55, column 3 lines 18-34, column 4 lines 5-19).

28. It would have been obvious to one of ordinary skill in the art at the time of the invention was made to modify the combined message compression method of Mitzenmacher and Hamiti with the teachings of Lee to provide the compression method with in a SIP communication system in order to reduce the sizes of SIP messages to better utilize low bandwidth connections (Lee, column 1 lines 44-47) since SIP

Art Unit: 2144

communication systems are often characterized by communication links of low bandwidth and high error rates (Lee, column 38-43).

29. Regarding claim 14, Lee disclosed a message compression method wherein the near end communication system and far end communication system are radio frequency communication systems (Figure 1, column 2 lines 39-55).

30. Regarding claim 15, Lee disclosed a message compression method wherein: the near end communication system comprises a client SIP application or a server SIP application; and the far end communication system comprises a client SIP application or a server SIP application (Figures 1, column 2 lines 39-55, column 3 lines 18-50).

31. Regarding claim 16, Mitzenmacher, Hamiti, and Lee combined disclose a SIP message compression method for a mobile unit (Mitzenmacher, Title, Abstract; Lee, Figure 1, column 1 lines 50-64, column 2 lines 39-55) comprising the steps of: pre-placing a message template at a server (Mitzenmacher, column 2 lines 58-65, column 3 lines 21-33); generating a compressed message related to the template message (Mitzenmacher, column 3 lines 1-11, column 4 lines 47-61), wherein generating comprises: providing a service request message identifier [finger print identifier] within the compressed message (Mitzenmacher, column 4 lines 21-46); providing a template on/off flag within the compressed message (Mitzenmacher, column 2 line 66-column 3 line 11, column 3 lines 22-33, lines 43-52); and providing a template index within the compressed message (column 3 lines 22-33, lines 43-52, column 4 lines 21-26, lines 35-46), wherein generating the compressed message references the message template at the server without using the message template to generate the compressed message (Abstract, column 13 line 58-column 14 line 19, column 15 lines 1-18); transmitting by

Art Unit: 2144

the mobile unit a compressed message over an RF link (Lee, Figure 1, column 3 lines 18-34, lines 35-50); and combining by the server the compressed message and the message template to produce an uncompressed message (Mitzenmacher, column 3 lines 44-52; Lee, column 3 lines 51-58, column 4 lines 5-19).

32. Regarding claim 17, Lee disclosed a SIP message compression method wherein the step of pre-placing includes the steps of: transmitting by the mobile unit the message template; and storing the message template by a template processing function of the server (Figure 1, column 3 lines 35-58, column 4 lines 5-19).

33. Regarding claim 17, Lee disclosed a SIP message compression method wherein the step of transmitting includes the step of generating the compressed message by a template processing function of the mobile unit (column 3 lines 35-58, column 4 lines 5-19, column 11 lines 20-40).

34. Regarding claim 18, Lee disclosed a SIP message compression method wherein the step of generating includes the steps of: providing a service request message identifier within the compressed message; providing a template on/off flag within the compressed message; and providing a template index within the compressed message (column 3 lines 18-34, lines 51-59).

35. Regarding claim 19, Lee disclosed a SIP message compression method wherein the step of generating further includes the steps of: providing an additional parameters are present flag within the compressed message; and providing additional parameters within the compressed message (column 3 lines 18-50, column 11 lines 20-40).

36. Regarding claim 20, Mitzenmacher and Lee disclosed a SIP message compression method wherein the step of combining includes the steps of: determining

by the template processing function of the server whether a compressed message is received; and determining by the template processing function of the server which message template is related to the compressed message (Mitzenmacher, column 2 lines 20-30, lines 58-65, column 4 lines 47-61; Lee, column 3 lines 18-34, column 4 lines 5-19).

37. Regarding claim 21, Mitzenmacher and Lee disclosed a SIP message compression method wherein there is further included the steps of: removing parameters from the compressed message by the template processing function of the server; and inserting the removed parameters into the message template by the template processing function of the server (Mitzenmacher, column 2 line 66-column 3 line 11, column 3 lines 22-33, column 43-52; Lee, column 3 lines 18-34, column 4 lines 5-19).

38. Since all the limitations of the claimed invention were disclosed by the combination of Mitzenmacher and Lee, claims 13-18 and 20-22 are rejected.

Response to Arguments

39. Applicant's arguments with respect to the pending claims have been considered but are moot in view of the new ground(s) of rejection.

40. As the rejection reads, Examiner asserts that the combination of these teachings render the claimed invention obvious.

Conclusion

41. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

Art Unit: 2144

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

42. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Refer to the enclosed PTO-892 for details.

a. Mahler et al. (U.S. Patent Number 6,542,504) titled "Profile based method for packet header compression in a point to point link" disclosed a method is shown for compression of packet header information of packets transmitted on a point-to-point link. First and second endpoints of the point-to-point link negotiate a profile for packet header information for packets transmitted from the first endpoint to the second endpoint on the point-to-point link. The profile includes a predetermined default value for a predetermined header field of the packet header information. A packet sent from the first endpoint to the second endpoint over the point-to-point link includes a profile identifier for the profile and excludes the predetermined header field. The second endpoint uses the profile identifier to

access the profile. The second endpoint then uses the predetermined default value for the predetermined header field from the profile to decode the packet.

b. O'Hare et al. (U.S. Patent Number 6,766,147) titled "Apparatus and method for implementing text based compression using cache and blank approach" disclosed an apparatus and method for compressing and compressing text based messages. A TCCB layer is added to a mobile device and P-CSCF. At the sending device, the TCCB compression method is invoked to remove all redundant header information contained in a message to be transmitted. When the TCCB compression method detects that a header's contents are the same as previously sent or received for a particular sequence, the TCCB method blanks the header contents. At the receiving device, when the TCCB layer receives a message with blank header contents, the TCCB decompression method is invoked to reconstruct the header from its cache.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tam (Jenny) Phan whose telephone number is (571) 272-3930. The examiner can normally be reached on M-F 9:00-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Wiley can be reached on (571) 272-3923. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 305-3900.

Art Unit: 2144

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

MARC D. THOMPSON
MARC THOMPSON
PRIMARY EXAMINER

Tam T. Phan
July 14, 2005

TP